



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Adsorption mechanisms of thallium (I) and thallium (III) by titanate nanotubes: Ion exchange and co-precipitation

Citation for published version:

Borthwick, A, Liu, W, Zhang, P, Chen, H & Ni, J 2014, 'Adsorption mechanisms of thallium (I) and thallium (III) by titanate nanotubes: Ion exchange and co-precipitation', *Journal of Colloid and Interface Science*, vol. 423, pp. 67-75. <https://doi.org/10.1016/j.jcis.2014.02.030>

Digital Object Identifier (DOI):

[10.1016/j.jcis.2014.02.030](https://doi.org/10.1016/j.jcis.2014.02.030)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Published In:

Journal of Colloid and Interface Science

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.



Difference on adsorption mechanism of thallium(I) and thallium(III) by
titanate nanotubes: Ion-exchange and co-precipitation

Supplementary material

Wen Liu ^{a, b} Pan Zhang ^b Alistair G.L. Borthwick ^d Jinren Ni ^{a, b, *}

^a Shenzhen Key Laboratory for Heavy Metal Pollution Control and Reutilization, School of
Environment and Energy, Peking University Shenzhen Graduate School, Shenzhen 518055, China

^b The Key Laboratory of Water and Sediment Sciences, Ministry of Education, Department of
Environment Engineering, Peking University, Beijing 100871, China

^d Institute of Energy Systems, School of Engineering, The University of Edinburgh, The King's
Buildings, Edinburgh EH9 3JL, U.K.




Fig.S1. Zeta potential of TNTs at different pH.





Fig.S2. Species distribution of (a) Tl(I) and (b) Tl(III) under different pH.